

AISWEI Industrial (Shanghai) Co., Ltd.
Gong Yuanping

Date : 31.03.2021
Our ref. : Jane Zhang 01
Your ref.: Gong Yuanping

Room A-1327, No.188 Building,
Yesheng Road, Lingang Area, China
(Shanghai) Pilot Free Trade Zone
Shanghai
P.R. China

Ref : R TÜV-Mark Approval

Type of Equipment : AC EV Charger
Model Designation : See Certificate
Certificate No. : R 50499295 0001
Report No. : 50159464 002

Dear Gong Yuanping,

The above specified equipment has been tested and found to be in accordance with the relevant requirements.

Please find enclosed your certificate as specified above.

If cancellation of the certificate is submitted by 15 November in a given year, no fee will be charged for the following year.

The certificate is issued with the reservation that the license holder applies all information required in § 6 of the ProdSG related to name and address of the manufacturer or his authorized representative / importer, including their respective contact addresses on the product prior to marketing of the product in the European Economic Area.

With kind regards,

Certification Body



Bruce Li

cc: AISWEI Industrial (Shanghai) Co., Ltd.

Enclosure

证书的详细资料请登陆www.certipedia.com查阅,或拨打我司客服热线800 999 3668 / 400 883 1300咨询

Zertifikat

Certificate



Zertifikat Nr. Certificate No.
R 50499295

Blatt Sheet
0001

Ihr Zeichen Client Reference
Gong Yuanping

Unser Zeichen Our Reference
01-Jane Zhang-50159464

Ausstellungsdatum Date of Issue
002 31.03.2021 (day/mo/yr)

Genehmigungsinhaber License Holder

AISWEI Industrial (Shanghai) Co., Ltd.
Room A-1327, No.188 Building,
Yesheng Road, Lingang Area, China
(Shanghai) Pilot Free Trade Zone
Shanghai
P.R. China

Prüfzeichen Test Mark

Geprüft nach Tested acc. to
EN 61851-1:2011
EN 61851-22:2002

Zertifiziertes Produkt (Geräteidentifikation)
Certified Product (Product Identification)

Lizenzentgelte - Einheit
License Fee - Unit

Charging station (AC EV Charger)

Type Designation : SOL7.4EV
SOL7.4EVL

11

Rated Input Voltage : 230V/AC, 50/60Hz
Rated Input Current : 32A

Output Voltage : 230V/AC
Output Current : 32A
Output Power : 7.2kW
Number of phase : Single-phase
Degree of Protection: IP55 (Storage)
IP54 (Mated with Vehicle)

The labelling requirements acc. to EU Directive 2001/95
have to be observed for distribution within the EEA.

11

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde und es bestätigt die Konformität des Produktes mit den oben genannten Standards und Prüfgrundlagen. Zusätzliche Anforderungen in Ländern, in denen das Produkt in Verkehr gebracht werden soll, müssen zusätzlich betrachtet werden. Die Herstellung des zertifizierten Produktes wird überwacht.
This certificate is based on our Testing and Certification Regulation and states the conformity of the product with the standards and testing requirements as indicated above. Any additional requirements in countries where the product is going to be marketed have to be considered additionally. The manufacturing of the certified product is subject to surveillance.

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg

Tel.: +49 221 806-1371 e-mail: cert-validity@de.tuv.com
Fax: +49 221 806-3935 <http://www.tuv.com/safety>



Bruce Li
Bruce Li

AISWEI Industrial (Shanghai) Co., Ltd.
Gong Yuanping

Date : 31.03.2021
Our ref. : Jane Zhang 01
Your ref.: Gong Yuanping

Room A-1327, No.188 Building,
Yesheng Road, Lingang Area, China
(Shanghai) Pilot Free Trade Zone
Shanghai
P.R. China

Ref : AN Certificate of Conf. Low Voltage D.

Type of Equipment : AC EV Charger
Model Designation : See Certificate
Certificate No. : AN 50499301 0001
Report No. : 50159464 002

Dear Gong Yuanping,

The above specified equipment has been tested and found to be in accordance with the relevant requirements.

Please find enclosed your certificate as specified above.

If cancellation of the certificate is submitted by 15 November in a given year, no fee will be charged for the following year.

The certificate is issued with the reservation that the license holder applies all information required in § 6 of the ProdSG related to name and address of the manufacturer or his authorized representative / importer, including their respective contact addresses on the product prior to marketing of the product in the European Economic Area.

With kind regards,

Certification Body



Bruce Li

CC: AISWEI Industrial (Shanghai) Co., Ltd.

Enclosure

证书的详细信息请登陆www.certipedia.com查阅,或拨打我司客服热线800 999 3668 / 400 883 1300咨询

C E R T I F I C A T E



of Conformity
Low Voltage Directive 2014/35/EU

Registration No.: AN 50499301 0001

Report No.: 50159464 002

Holder: AISWEI Industrial(Shanghai)Co.,Ltd.
Room A-1327, No.188 Building,
Yesheng Road, Lingang Area, China
(Shanghai) Pilot Free Trade Zone
Shanghai
P.R. China

Product: Charging station
(AC EV Charger)

Identification: Type Designation : SOL7.4EV SOL7.4EVL
Serial No. : Engineering sample

Remark: Issued in conjunction with TÜV Rheinland license
R 50499295 0001.

This certificate of conformity is based on an evaluation of a sample of the above mentioned product. Technical Report and documentation are at the Licence Holder's disposal. This is to certify that the tested sample is in conformity with Annex I of Council Directive 2014/35/EU, referred to as the Low Voltage Directive. This certificate does not imply assessment of the series-production of the product and does not permit the use of a TÜV Rheinland mark of conformity. The holder of the certificate is authorized to use this certificate in connection with the EC declaration of conformity according to Annex IV of the Directive.



Date 31.03.2021

A handwritten signature in blue ink, appearing to read "Bruce Li".
Bruce Li

TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

CE The CE marking may be used if all relevant and effective EC Directives are complied with. CE

AISWEI Industrial (Shanghai) Co., Ltd.
Gong Yuanping

Date : 31.03.2021
Our ref. : Jane Zhang 01
Your ref.: Gong Yuanping

Room A-1327, No.188 Building,
Yesheng Road, Lingang Area, China
(Shanghai) Pilot Free Trade Zone
Shanghai
P.R. China

Ref : R TÜV-Mark Approval

Type of Equipment : Wall Box
Model Designation : See Certificate
Certificate No. : R 50499309 0001
Report No. : 60374829 002

Dear Gong Yuanping,

The above specified equipment has been tested and found to be in accordance with the relevant requirements.

Please find enclosed your certificate as specified above.

If cancellation of the certificate is submitted by 15 November in a given year, no fee will be charged for the following year.

The certificate is issued with the reservation that the license holder applies all information required in § 6 of the ProdSG related to name and address of the manufacturer or his authorized representative / importer, including their respective contact addresses on the product prior to marketing of the product in the European Economic Area.

With kind regards,

Certification Body



Bruce Li

cc: AISWEI Industrial (Shanghai) Co., Ltd.

Enclosure

证书的详细信息请登陆www.certipedia.com查阅,或拨打我司客服热线800 999 3668 / 400 883 1300咨询

Zertifikat

Certificate



Zertifikat Nr. Certificate No.
R 50499309

Blatt Sheet
0001

Ihr Zeichen Client Reference
Gong Yuanping

Unser Zeichen Our Reference
01-Jane Zhang-60374829

Ausstellungsdatum Date of Issue
002 31.03.2021 (day/mo/yr)

Genehmigungsinhaber License Holder

AISWEI Industrial (Shanghai) Co., Ltd.
Room A-1327, No.188 Building,
Yesheng Road, Lingang Area, China
(Shanghai) Pilot Free Trade Zone
Shanghai
P.R. China

Prüfzeichen Test Mark

Geprüft nach Tested acc. to

EN 61851-1:2011
EN 61851-22:2002

Zertifiziertes Produkt (Geräteidentifikation)
Certified Product (Product Identification)

Lizenzentgelte - Einheit
License Fee - Unit

Charging station (Wall Box)

Type Designation : SOL22EVL SOL22EV SOL11EVL
SOL11EV SOL7.4EVL SOL7.4EV

15

Rated Input Voltage : 400V/AC or 230V/AC, 50/60Hz

Rated Input Current : 32A max

Output Voltage : 400V/AC or 230V/AC

Output Current : 32A max

Output Power : 22kW max

Number of phase : three-phases or single-phase

Degree of Protection: IP55 (Storage)

IP54 (Mated with Vehicle)

The labelling requirements acc. to EU Directive 2001/95
have to be observed for distribution within the EEA.

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde und es bestätigt die Konformität des Produktes mit den oben genannten Standards und Prüfgrundlagen. Zusätzliche Anforderungen in Ländern, in denen das Produkt in Verkehr gebracht werden soll, müssen zusätzlich betrachtet werden. Die Herstellung des zertifizierten Produktes wird überwacht.

This certificate is based on our Testing and Certification Regulation and states the conformity of the product with the standards and testing requirements as indicated above. Any additional requirements in countries where the product is going to be marketed have to be considered additionally. The manufacturing of the certified product is subject to surveillance.

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg

Tel.: +49 221 806-1371 e-mail: cert-validity@de.tuv.com

Fax: +49 221 806-3935 <http://www.tuv.com/safety>



Bruce Li

AISWEI Industrial (Shanghai) Co., Ltd.
Gong Yuanping

Date : 31.03.2021
Our ref. : Jane Zhang 01
Your ref.: Gong Yuanping

Room A-1327, No.188 Building,
Yesheng Road, Lingang Area, China
(Shanghai) Pilot Free Trade Zone
Shanghai
P.R. China

Ref : AN Certificate of Conf. Low Voltage D.

Type of Equipment : Wall Box
Model Designation : See Certificate
Certificate No. : AN 50499314 0001
Report No. : 60374829 002

Dear Gong Yuanping,

The above specified equipment has been tested and found to be in accordance with the relevant requirements.

Please find enclosed your certificate as specified above.

If cancellation of the certificate is submitted by 15 November in a given year, no fee will be charged for the following year.

The certificate is issued with the reservation that the license holder applies all information required in § 6 of the ProdSG related to name and address of the manufacturer or his authorized representative / importer, including their respective contact addresses on the product prior to marketing of the product in the European Economic Area.

With kind regards,

Certification Body



Bruce Li

CC: AISWEI Industrial (Shanghai) Co., Ltd.

Enclosure

证书的详细资料请登陆www.certipedia.com查阅,或拨打我司客服热线800 999 3668 / 400 883 1300咨询

C E R T I F I C A T E



of Conformity
Low Voltage Directive 2014/35/EU

Registration No.: AN 50499314 0001

Report No.: 60374829 002

Holder: AISWEI Industrial(Shanghai)Co.,Ltd.
Room A-1327, No.188 Building,
Yesheng Road, Lingang Area, China
(Shanghai) Pilot Free Trade Zone
Shanghai
P.R. China

Product: Charging station
(Wall Box)

Identification: Type Designation: SOL22EVL SOL22EV SOL11EVL
SOL11EV SOL7.4EVL SOL7.4EV
Serial No. : Engineering sample
Remark : Issued in conjunction with TÜV Rheinland
license R 50499309 0001.

This certificate of conformity is based on an evaluation of a sample of the above mentioned product. Technical Report and documentation are at the Licence Holder's disposal. This is to certify that the tested sample is in conformity with Annex I of Council Directive 2014/35/EU, referred to as the Low Voltage Directive. This certificate does not imply assessment of the series-production of the product and does not permit the use of a TÜV Rheinland mark of conformity. The holder of the certificate is authorized to use this certificate in connection with the EC declaration of conformity according to Annex IV of the Directive.



Date 31.03.2021

Bruce Li
Bruce Li

TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

CE The CE marking may be used if all relevant and effective EC Directives are complied with. CE